

CHERRY KC 6000 SLIM

Ultra-flat designer keyboard



Models may vary from the image shown

The CHERRY KC 6000 SLIM keyboard is exceptionally flat, thus eliminating fatigue while you work. The state-of-the-art design and very compact dimensions will enhance every desk.

The scissor mechanism deployed provides an excellent typing experience and a long service life. The three CAPS LOCK, NUM and SCROLL keys each have an integrated status LED. The CHERRY KC 6000 SLIM also has six additional keys: "Windows lock", "Open browser", "Quieter", "Louder", "Mute" and "Open calculator". The built-in metal plate makes the keyboard particularly stable, and the rubber feet ensure that it does not slip.

The CHERRY KC 6000 SLIM is a particularly attractive addition to the desk of the style-conscious user.

FUNCTION AND PERFORMANCE

- Exceptionally compact, slim housing
- High-quality scissor mechanism for perfect keystroke
- Durable key lettering
- Status LEDs for the CAPS LOCK, NUM and SCROLL keys

- 6 practical additional keys
- Sturdy construction with integrated metal plate

TECHNICAL DATA

Weight main product:	660 g
Weight of product without packaging:	660 g
Dimensions product without packaging:	440 mm x 130 mm x 15 mm
Weight of product incl. packaging:	875 g
Dimensions product incl. packaging:	453 mm x 170 mm x 300 mm
Content of master carton (pieces):	10
Weight of master carton incl. content:	9,430 g
Dimensions master carton:	468 mm x 363 mm x 186 mm
Cable-length:	185 cm
Storage temperature:	-20 °C - 60 °C
Working temperature:	0 °C - 40 °C
Product approvals:	<ul style="list-style-type: none">• CE• cURus• FCC• BSMI• China RoHS• UKCA• ICES-003 (Canada)
System Requirements-Hardware:	USB-A
Operating system:	<ul style="list-style-type: none">• Windows 7• Windows 8• Windows 10• Windows 11
Scope of delivery:	<ul style="list-style-type: none">• Manual• Keyboard
Reliability:	Lebensdauer Standardtaste: > 10 Millionen Betätigungen
Software support:	CHERRY KEYS
Service life per key (in million strokes):	10 mio. actuations

Switching characteristics:	standard
Max. current consumption (mA) of keyboard:	20 mA
Keyboard format:	Full-size (100%)
Integrated metal plate:	yes
N-Key Rollover:	no
Anti-ghosting:	no
Key encryption:	no
Internal memory:	no
Actuating force (cN):	62,5 cN
Total Key Travel:	2 mm
Key labeling:	Pad Printing + UV coating
Palm rest:	Palm rest not available
USB hub:	no

- Special key functions:
- Browser
 - PC lock
 - Calculator
 - Unmute/Mute
 - Volume up
 - Volume down
 - Eject Media
 - Zoom

Illumination:	no
Adjustable feet:	yes
Status LEDs:	in keys
Key technology:	Scissor
Keycap material:	ABS
Model number:	JK-16
Protection class:	Standard
Warranty:	1 additional year voluntary limited manufacturers warranty

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products. Properties are not guaranteed.

EAN & Part number	Protection class	Color	Illumination	Layout
4025112094439 JK-1600BE-2	Standard	black	no	BE (Belgium)
4025112088537 JK-1600CH-2	Standard	black	no	CH (Switzerland)
4025112092176 JK-1600CN-2	Standard	black	no	CN (China)
4025112094446 JK-1600CS-2	Standard	black	no	CS (Czech Republic / Slovak Republic)
4025112088544 JK-1600DE-2	Standard	black	no	DE (Germany)
4025112088551 JK-1600ES-2	Standard	black	no	ES (Spain)
4025112088568 JK-1600EU-2	Standard	black	no	EU (USA+ €-Symbol)
4025112088575 JK-1600FR-2	Standard	black	no	FR (France)
4025112088582 JK-1600GB-2	Standard	black	no	GB (United Kingdom)
4025112088599 JK-1600PN-2	Standard	black	no	PN (PanNordic)
4025112092923 JK-1600TW-2	Standard	black	no	TW (Taiwan)
4025112094422 JK-1600BE-1	Standard	white/silver	no	BE (Belgium)
4025112088605 JK-1600CH-1	Standard	white/silver	no	CH (Switzerland)
4025112092169 JK-1600CN-1	Standard	white/silver	no	CN (China)
4025112088612 JK-1600DE-1	Standard	white/silver	no	DE (Germany)
4025112088629 JK-1600ES-1	Standard	white/silver	no	ES (Spain)
4025112088636 JK-1600EU-1	Standard	white/silver	no	EU (USA+ €-Symbol)
4025112088643 JK-1600FR-1	Standard	white/silver	no	FR (France)
4025112088650 JK-1600GB-1	Standard	white/silver	no	GB (United Kingdom)

EAN & Part number	Protection class	Color	Illumination	Layout
4025112088667 JK-1600PN-1	Standard	white/silver	no	PN (PanNordic)
4025112092916 JK-1600TW-1	Standard	white/silver	no	TW (Taiwan)

Please contact your local CHERRY service and support teams or your CHERRY sales partners for versions available in your country.